

Contents

Preface	V
About the Editor	VII
List of Contributors	IX
1 Rubber Compounding: Introduction, Definitions, and Available Resources	1
<i>John S. Dick</i>	
1.1 Introduction	1
1.2 The Recipe	2
1.3 Classification of Rubber Compounding Ingredients	3
1.4 Standard Abbreviations for Compounding Ingredients	5
1.5 The Diversity of Rubber Recipes	5
1.6 Compatibility of Compounding Ingredients	8
1.7 Rubber Compounding Ingredients' Specifications	9
1.8 Raw Material Source Books	10
1.9 Key Source References for Formulations	11
1.10 Technical Organizations	13
1.11 Key Technical Journals and Trade Magazines	14
1.12 Regularly Scheduled Technical Conferences	15
1.12.1 Regularly Scheduled Courses	16
1.13 Web Sites Available	17

2	Compound Processing Characteristics and Testing	19
	<i>John S. Dick</i>	
2.1	Introduction	19
2.2	Manufacturing Process	19
2.2.1	Two Roll Mill	19
2.2.2	Internal Mixers	20
2.2.3	Further Downstream Processing	21
2.2.4	Curing Process	23
2.2.5	Factory Problems	23
2.3	Processability Characteristics and Measurements	25
2.3.1	Viscosity	25
2.3.1.1	Rotational Viscometers	26
2.3.1.2	Capillary Rheometer	27
2.3.1.3	Oscillating Rheometers	28
2.3.1.4	Compression Plastimeters	31
2.3.2	Shear Thinning	31
2.3.2.1	Shear Thinning by Capillary Rheometer	32
2.3.2.2	Shear Thinning by Oscillating Rheometer ..	33
2.3.3	Elasticity	34
2.3.3.1	Mooney Stress Relaxation	35
2.3.3.2	Elasticity by Oscillating Rheometer	36
2.3.3.3	Capillary Rheometer Die Swell	37
2.3.3.4	Compression Plastimeter Elastic Recovery ..	38
2.3.3.5	Direct Shrinkage Measurements	38
2.3.4	Time to Scorch	38
2.3.4.1	Scorch by Rotational Viscometer	39
2.3.4.2	Scorch by Oscillating Rheometer	39
2.3.4.3	Scorch by Capillary Rheometer	41
2.3.5	Cure Rate	42
2.3.5.1	Cure Rate by Rotational Viscometer	43
2.3.5.2	Cure Times and Cure Rate by Oscillating Rheometer	43
2.3.6	Ultimate State of Cure	45
2.3.6.1	Ring Testing	45
2.3.6.2	Oscillating Rheometer	46
2.3.7	Reversion Resistance	47
2.3.8	Green Strength	47
2.3.9	Tackiness	47
2.3.10	Stickiness	48
2.3.11	Dispersion	48
2.3.12	Stock Storage Stability	49

2.3.13	Mis-Compounding	49
2.3.14	Cellular Rubber Blow Reaction	50
3	Vulcanizate Physical Properties, Performance Characteristics, and Testing	53
	<i>John S. Dick</i>	
3.1	Introduction	53
3.2	Density	54
3.3	Hardness	55
3.4	Tensile Stress-Strain	56
3.5	Stress-Strain Properties under Compression	57
3.6	Stress-Strain Properties under Shear	58
3.7	Dynamic Properties	58
3.8	Low Temperature Properties	61
3.8.1	Brittle Point	63
3.8.2	Gehman Test	63
3.9	Stress Relaxation, Creep, and Set	63
3.10	Permeability (Transmission)	66
3.11	Cured Adhesion	67
3.12	Tear Resistance	68
3.13	Degradation Properties	70
3.13.1	Flex Fatigue Resistance	70
3.13.2	Heat Resistance	73
3.13.3	Ozone Resistance	75
3.13.4	Weathering Resistance	76
3.13.5	Resistance to Liquids	77
3.13.6	Abrasion and Wear Resistance	77
4	Rubber Compound Economics	81
	<i>John M. Long</i>	
4.1	Introduction	81
4.2	Compound Cost Calculations	81
4.2.1	Specific Gravity	82
4.2.2	Cost/lb	82
4.2.3	Lb-Volume Cost	82
4.2.4	Part Cost	82
4.2.5	Conversion Factors for Calculating Part Cost	83
4.2.5.1	in ³ and cost/lb	83

4.2.5.2	cm ³ and cost/kg	83
4.2.5.3	ft ³ and cost/lb	83
4.2.5.4	cm ³ and cost/lb	83
4.2.5.5	Relative Costs	83
4.2.5.6	Developing Conversion Factors	83
4.3	Measuring Specific Gravity (Density)	84
4.4	Cost Calculations	85
4.4.1	Base Compound	85
4.4.2	Same Ingredient Volume and Equal Cost	85
4.4.3	Low Cost/lb	87
4.4.4	High Specific Gravity	87
4.5	Compound Design and Cost	88
4.6	Reducing Compound Cost	89
4.6.1	High-Structure Carbon Blacks	89
4.6.2	White Compounds	89
4.6.3	Antioxidants/Antiozonants	89
4.6.4	Polymer Substitutions	91
4.6.4.1	High Cost/High Specific Gravity Polymers	91
4.6.4.2	Clear and Oil-Extended Polymer Replacements	92
4.6.4.3	Carbon Black/Oil Masterbatches Replacing Free Mix Compounds	94
4.6.4.4	Extrusion Productivity	96
4.6.4.5	Vulcanization Productivity	97
Appendix 4.1		98
5	The Technical Project Approach to Experimental Design and Compound Development	101
	<i>Alan G. Veith</i>	
5.1	Introduction	101
5.2	Part 1: Steps in a Technical Project	103
5.2.1	Initial Action Required	103
5.2.1.1	Planning Model	104
5.2.1.2	Work, Time, and Cost Proposal	104
5.2.2	Experimental Design	104
5.2.2.1	Selecting Variables or Factors	104
5.2.2.2	Selecting Test Instruments and Procedures	105
5.2.2.3	Developing a Response Model	105
5.2.2.4	Selecting an Experimental Design	107

5.2.3	Conduct Measurements and Obtain Data	112
5.2.4	Conduct Analysis and Evaluate Preliminary Model . . .	112
5.2.5	Prepare Report	113
5.3	Part 2: Using Experimental Designs	113
5.3.1	Screening Designs – Simple Treatment Comparisons . .	113
5.3.1.1	Design C1 for Uniform Replication Conditions	114
5.3.1.2	Design C1 for Non-Uniform Replication Conditions	114
5.3.1.3	Design C2 for Multi-Treatment Comparisons	115
5.3.2	Screening Designs – Multifactor Experiments	116
5.3.2.1	Two-Level Factorial Designs	116
5.3.2.2	Analysis of the Designs	118
5.3.2.3	Calculating the Effect Coefficients	118
5.3.2.4	Reviewing Designs S1 to S11	120
5.3.3	Exploratory Designs – Multifactor Experiments	121
5.3.4	Evaluating the Statistical Significance of Effect Coefficients	122
5.3.4.1	Evaluating Standard Errors for Effect Coefficients: Screening Designs	122
5.3.4.2	Four-Factor Screening Design: An Example . .	124
	Appendix 5.1 – A Catalog of Experimental Designs	130
6	Elastomer Selection	147
	<i>Rudy School</i>	
6.1	Overview	147
6.1.1	Commodity and General Purpose Elastomers	150
6.1.1.1	Natural Rubber (NR)	150
6.1.1.2	Styrene Butadiene Rubber (SBR)	151
6.1.1.3	Polybutadiene Rubber (BR)	152
6.1.2	High-Volume Specialty Elastomers	153
6.1.2.1	Polyisoprene (IR)	153
6.1.2.2	Nitrile Rubber (NBR)	153
6.1.2.3	Ethylene-Propylene-Diene (EPDM)	155
6.1.2.4	Polychloroprene (CR)	155
6.1.2.5	Butyl and Halogenated Butyl Elastomers . . .	156
6.1.2.6	Chlorinated and Chlorosulfonated Polyethylene	158
6.1.3	Low-Volume Specialty Elastomers	158
6.1.3.1	Fluoroelastomers	159
6.1.3.2	Silicone and Fluorosilicone Rubber	160

	6.1.3.3	Polyurethane Rubber	161
	6.1.3.4	Ethylene-Acrylic Rubber	161
	6.1.3.5	Polyacrylate Rubber	162
	6.1.3.6	Epichlorohydrin Rubber	162
	6.1.3.7	Polyolefin Elastomers	163
	6.1.3.8	Polysulfide Rubber	163
	6.1.4	Thermoplastic Elastomers	163
7	General Purpose Elastomers and Blends		165
	<i>Gary Day</i>		
	7.1	Introduction	165
	7.2	Natural Rubber and Polyisoprene	166
	7.3	Polybutadiene	169
	7.4	Copolymers and Terpolymers of Styrene, Butadiene, and Isoprene	173
	7.5	Compounding with General Purpose Polymers	177
	7.5.1	Polymer Characterization and Effect on Mixing	178
	7.5.2	Polymer Effect on Cure Rate	180
	7.5.3	Polymer Effect on Stress-Strain	188
	7.5.4	Hysteresis	189
	7.5.5	Compatibility with SIR 10	195
	7.5.6	Fatigue Properties	198
	7.5.7	Compression Set	199
	7.6	Conclusion	199
8	Specialty Elastomers		203
	8.1	Introduction	203
	8.2	Butyl Rubber	204
	<i>G. E. Jones, D. S. Tracey and A. L. Tisler</i>		
	8.2.1	Introduction	204
	8.2.2	Butyl Rubber Physical Properties	204
	8.2.3	Butyl Rubber Properties, Vulcanization, and Applications	206
	8.2.4	Gas Permeability	206
	8.2.5	Ozone and Weathering Resistance	207
	8.2.6	Butyl Rubber Vulcanization	208
	8.2.6.1	Accelerated Sulfur Vulcanization	208
	8.2.6.2	The Dioxime Cure	209
	8.2.6.3	The Resin Cure	209

8.3	Halogenated Butyl Rubber	210
	<i>G. E. Jones, D. S. Tracey and A. L. Tisler</i>	
8.3.1	Introduction	210
8.3.2	Compounding Halobutyl and Star-Branched Halobutyl Rubbers	211
8.3.2.1	Carbon Black	211
8.3.2.2	Mineral Fillers	211
8.3.2.3	Plasticizers	212
8.3.2.4	Processing Aids	212
8.3.3	Processing Halobutyl Rubber	212
8.3.3.1	Mixing	212
8.3.3.2	Calendering	213
8.3.3.3	Extrusion	214
8.3.3.4	Molding	214
8.3.4	Halobutyl Rubber Vulcanization and Applications	214
8.3.4.1	Straight Sulfur Cure	215
8.3.4.2	Zinc Oxide Cure and Modifications	215
8.3.4.3	Zinc-Free Cures	215
8.3.4.4	Peroxide Cures	216
8.3.4.5	Vulcanization through Bis-Alkylation	216
8.3.4.6	Resin Cure	216
8.3.4.7	Scorch Control	216
8.3.4.8	Stability of Halobutyl Crosslinks	217
8.3.5	Halobutyl Rubber General Applications	217
8.3.6	Cured Properties	218
8.3.6.1	Permeability	218
8.3.6.2	Heat Resistance	218
8.3.6.3	Resistance to Chemicals and Solvents	219
8.3.7	Flex Resistance/Dynamic Properties	219
8.3.8	Compatibility with Other Elastomers	219
8.3.9	Halobutyl Rubber Compound Applications	220
8.3.9.1	Tire Innerliners	220
8.3.9.2	Pharmaceutical Closures	220
8.3.9.3	Heat Resistant Conveyor Belt	221
8.4	EPM/EPDM	222
	<i>Rajan Vara and Janet Laird</i>	
8.4.1	Introduction	222
8.4.2	Ethylene/Propylene Content	223
8.4.3	Diene Content	224
8.4.4	Rheology	225

8.5	Acrylonitrile-Butadiene Rubber	226
	<i>Michael Gozdiff</i>	
8.5.1	Introduction	226
8.5.2	Chemical and Physical Properties - Relating to Application	227
8.5.2.1	Acrylonitrile Content (ACN)	227
8.5.2.2	Mooney Viscosity	228
8.5.2.3	Emulsifier	228
8.5.2.4	Stabilizer	229
8.5.2.5	Coagulation	229
8.5.3	Polymer (Elastomer) Microstructure	229
8.5.4	Polymer (Elastomer) Macrostructure	229
8.5.5	Gel	230
8.5.6	Molecular Weight	231
8.5.7	Hot NBR	231
8.5.8	Crosslinked Hot NBR	231
8.5.9	Cold NBR	232
8.5.10	Carboxylated Nitrile (XNBR)	233
8.5.11	Bound Antioxidant NBR	234
8.6	Hydrogenated Nitrile Butadiene Elastomers	235
	<i>Michael E. Wood</i>	
8.6.1	Introduction	235
8.6.2	Applications	236
8.6.3	Properties	236
8.6.4	Formulating	237
8.6.5	Processing	238
8.7	Polyacrylate Elastomers	238
	<i>Paul Manley and Charles Smith</i>	
8.7.1	Polymer Composition	238
8.7.2	Basic Compounding of Polyacrylate Polymers	241
8.7.3	Processing Guidelines	242
8.8	Polychloroprene (Neoprene)	243
	<i>Leonard L. Outzs</i>	
8.8.1	Introduction	243
8.8.2	Basic Characteristics of Polychloroprene	243
8.8.3	Families of Neoprene	243
8.8.4	Neoprene "G" Family	246
8.8.5	Neoprene "W" Family	247
8.8.6	Neoprene "T" Family	248

8.9 Chlorinated Polyethylene (CM)	248
<i>Laura Weaver</i>	
8.9.1 Introduction	248
8.9.2 General Characteristics	249
8.10 Chlorosulfonated Polyethylene (CSM)	250
<i>Charles Baddorf</i>	
8.10.1 Introduction	250
8.10.2 General Purpose Types of Hypalon	253
8.10.3 Specialty Types of Hypalon	253
8.10.4 Unvulcanized Applications	254
8.11 Polyepichlorohydrin Elastomer	254
<i>Clark Cable</i>	
8.11.1 Introduction	254
8.11.2 Properties	255
8.11.3 Formulating	256
8.11.4 Nonlead Cure Systems	256
8.11.5 Adjustments	257
8.11.6 Processing	257
8.11.7 Internal Mixer – Procedure	258
8.11.8 Extrusion	258
8.11.9 Molding	258
Appendix 8.1 – List of Chemicals	259
Appendix 8.2 – List of Plasticizers	260
8.12 Ethylene-Acrylic Elastomers	261
<i>Theresa M. Dobel</i>	
8.12.1 Introduction	261
8.12.2 Polymer Composition and Effect on Properties	262
8.12.3 Polymer Selection	262
8.13 Polynorbornene	264
<i>Clark Cable</i>	
8.13.1 Introduction	264
8.13.2 Applications	264
8.13.3 Compounding	264
8.13.4 Fillers	265
8.13.5 Oils/Plasticizers	265
8.13.6 Cure System	265
8.13.7 Rebound/Resilience	266
8.13.8 Vibration Damping	266
8.13.9 Blends	267

8.13.10	Mixing and Processing	267
8.13.10.1	Mill Mixing	267
8.13.10.2	Internal Mixers	267
8.13.11	Calendering	268
8.13.12	Extrusion	268
8.13.13	Molding	269
8.13.14	Summary	269
8.14	Fluoroelastomer (FKM)	270
	<i>Ronald D. Stevens</i>	
8.14.1	Introduction	270
8.14.2	Background	271
8.14.3	Applications	271
8.14.4	Viton® Types	272
8.15	Silicone Elastomers	275
	<i>James R. Halladay and Rick A. Ziebell</i>	
8.15.1	Introduction	275
8.15.2	Selection	278
8.15.3	Fillers	280
8.15.4	Anti-Structuring Agents	281
8.15.5	Heat Stabilizers	282
8.15.6	Peroxide Cures	283
8.15.7	Platinum Cures	284
8.15.8	RTV Cures	286
9	Polyurethane Elastomers	287
	<i>Ronald W. Fuest</i>	
9.1	Introduction	287
9.2	Polyurethane Chemistry and Morphology	288
9.3	Polyurethane Products	291
9.4	Cast Polyurethane Processing Overview	292
9.5	Molding Methods	294
9.5.1	Open Casting	294
9.5.2	Centrifugal Molding	295
9.5.3	Vacuum Casting	295
9.5.4	Compression Molding	295
9.5.5	Transfer Molding	296
9.5.6	Liquid Injection Molding (LIM)	296
9.5.7	Spraying	296
9.5.8	Moldless Rotational Casting	296

9.6	How to Select a Polyurethane Elastomer	297
9.6.1	Types of Prepolymers	298
9.6.2	Types of Curatives	300
9.6.3	Processing Conditions	301
9.6.4	Additives	303
9.7	Comparison of Polyurethanes with Other Elastomers	304
9.7.1	Limitations of Polyurethane Elastomers	308
9.8	Polyurethane Selection Guidelines	308
9.8.1	Selecting a Polyurethane Elastomer for a New Application	312
9.9	Millable Gums	313
9.10	Thermoplastic Polyurethanes	314
10	Thermoplastic Elastomers	317
	<i>Charles P. Rader</i>	
10.1	Introduction	317
10.2	Position in Spectrum of Polymeric Materials	317
10.3	Classification of TPEs	319
10.3.1	Chemistry and Morphology	319
10.3.2	Styrenic Block Copolymers	323
10.3.3	Copolyesters	324
10.3.4	Thermoplastic Polyurethanes	325
10.3.5	Polyamides	326
10.3.6	Thermoplastic Elastomeric Olefins	327
10.3.7	Thermoplastic Vulcanizates	328
10.4	TPEs and Thermoset Rubbers	331
10.5	Fabrication of TPEs	333
10.5.1	Economy of Thermoplastics Processing	333
10.5.2	Injection Molding	334
10.5.3	Extrusion	335
10.5.4	Blow Molding	335
10.5.5	Other Processing Methods	336
11	Recycled Rubber	339
	<i>Frank P. Papp</i>	
11.1	Introduction	339
11.2	History	339
11.3	Production Methods	340
11.3.1	Reclaim Rubber Process	341

11.3.2	Rubber Powder via Ambient and Cryogenic Processes ..	342
11.3.3	Rubber Powder via Ultra-High Pressure Water Jet Milling	343
11.3.4	Treated or Functionalized Rubber Powder	345
11.4	Classification, Characterization, and Testing of Recycled Rubber Powders	346
11.4.1	Classification System	346
11.4.2	Testing Methods for Particle Size Determination	349
11.4.2.1	ASTM D5644 Method A – The Ro-Tap Procedure	349
11.4.2.2	ASTM D5644 Method B – Ultrasonic and Light Microscopy Technique	351
11.4.2.3	Laser Particle Size Analysis	351
11.4.2.4	Surface Area Determination	352
11.4.2.5	Surface Characterization	352
11.5	Comparison of Ambient and Cryogenically Prepared Recycled Rubber Powder	353
11.6	Physical and Rheological Properties of Rubber Compounds Mixed with Recycled Rubber Powder	359
11.6.1	RRP Baseline Study	359
11.6.2	Addition Point of Recycled Rubber Powder	367
11.6.3	Sulfur–Accelerator Optimization with Recycled Rubber Powder	369
11.6.4	Weathering Resistance with Recycled Rubber Powder ..	377
11.6.5	Heat Aging Resistance of Recycled Rubber Powder Containing Optimized Recipe	380
11.6.6	Selecting the Appropriate Recycled Rubber Powder Particle Size/Surface Area	385
11.6.7	Use of Recycled Rubber Powder in Solution SBR/Silica-Silane Tire Tread	389
11.7	New Technology for Recycled Rubber	400
11.7.1	EkoDyne™ Test Results in a Carbon Black Model Compound	401
11.7.2	EkoDyne™ Test Results in a Silica-Silane Model Compound	407
11.8	Executive Summary	416
12	Compounding with Carbon Black and Oil	419
	<i>Steve Laube, Steve Monthey, and Meng-Jiao Wang</i>	
12.1	Introduction: Carbon Black Affects Everything	419

12.2	Characterization of Carbon Black	420
12.2.1	The Particle, the Aggregate, and the Agglomerate	420
12.2.2	Surface Area, Structure, and Surface Activity	421
12.2.3	Constituents Other than Carbon (Impurities)	423
12.2.4	Pellets	424
12.2.5	ASTM Nomenclature	424
12.3	Handling Carbon Black	426
12.4	Mixing Carbon Black	426
12.4.1	Pellet Properties and Analyticals (Also Called Colloidal Properties)	426
12.4.2	Effect of Analyticals on Dispersion	427
12.4.3	The Mixing Process	428
12.5	Subsequent Processability of the Compound	429
12.6	Compounding Carbon Black	429
12.6.1	Optimum Loading	432
12.6.2	Importance of Dispersion	433
12.6.3	Carbon Black Compounding Tips	434
12.6.3.1	Hardness	434
12.6.3.2	Processing Oil	435
12.6.3.3	Other Vulcanizate Properties	437
12.6.3.4	Vulcanizate Hysteresis	437
12.6.4	The Tire Industry's Tradeoffs	440
12.7	Hysteresis Reducing Tips	441
12.7.1	"Radical Compounding"	441
12.7.2	Lower Loadings of High Structure Carbon Blacks	442
12.7.3	Carbon-Silica Dual Phase Fillers	443
12.8	Practical Applications: Tire Examples	444
12.8.1	OE Passenger-Tire Treads	444
12.8.2	Replacement Passenger-Tire Treads	444
12.8.3	HP Passenger-Tire Treads	444
12.8.4	Medium Radial Truck Treads	445
12.8.5	Wire Coat or Skim Stocks	445
12.8.6	Innerliner Compounding	445
12.9	Major Tradeoffs for Industrial Rubber Products	445
12.9.1	Loading/Reinforcement/Cost	446
12.10	Compounding Tips: Industrial Rubber Products	446
12.10.1	Extrusion Profiles and Products	446
12.10.2	Molded Products	447
12.10.3	Hose Applications	447

12.11 Basics of Carbon Black Manufacture	448
12.11.1 History	448
12.11.2 The Oil-Furnace Process	448
13 Precipitated Silica and Non-Black Fillers	451
<i>Chenchy Jeffrey Lin and W. Michael York</i>	
13.1 Introduction	451
13.1.1 General Properties and Costs of Non-Black Fillers	452
13.1.2 Use and Selection of Non-Black Fillers for Rubber Compounds	453
13.1.3 Factors Considered for Reinforcing Rubber with Fillers	456
13.1.3.1 Filler Particle Size and Surface Area	457
13.1.3.2 Filler Anisometry – Shape and Morphology ..	458
13.1.3.3 Surface Activity and Surface Energy	459
13.2 Mineral Fillers	460
13.2.1 An Overview of the Most Commonly Used Non-Black Fillers	460
13.2.1.1 Calcium Carbonate	460
13.2.1.2 Clay	463
13.2.2 Other Mineral Fillers	470
13.2.2.1 Talc	470
13.2.2.2 Barite	471
13.2.2.3 Mica	472
13.2.2.4 Alumina Trihydrate (ATH)	472
13.3 Synthetic Silica	476
13.3.1 Precipitated Silica	479
13.3.2 Precipitated Silica Characterization	481
13.3.2.1 Structure and Surface Chemistry	481
13.3.2.2 Surface Area	483
13.3.2.3 Pore Volume and Void Volume	485
13.3.2.4 Void Volume	485
13.3.2.5 Silica Dispersion and Silanization	486
13.3.3 Highly Dispersible Silica (HDS)	487
13.3.4 Rice Husk Silica	491
13.3.5 Silica Surface Treatment	492
13.3.6 Pre-treated Silica	498
13.3.7 Masterbatching	498
13.4 Non-Black Nanoparticles and Polymeric Nanocomposites	505
13.4.1 Nano-Precipitated CaCO ₃ (Ultrafine Precipitated CaCO ₃)	505

13.4.1.1	Nano-CaCO ₃ Surface Modification and Their Use for Nano-Composites	507
13.4.1.2	Application Examples of Nano-CaCO ₃ in Various Rubbers	507
13.4.2	Layered Silicates and Their Nanocomposites	508
13.4.2.1	Organoclay (Organic Layer Silicate) – Montmorillonite	509
13.4.2.2	Cationic Clays – Hectorite and Their Applications in Rubber Nanocomposites . . .	511
13.4.2.3	Anionic Clays – Layered Double Hydroxide (LDH) and Their Applications in Rubber Composites	512
13.4.3	Polymeric Core-Shell Nanoparticles	514
13.4.3.1	Synthesis of Core-Shell Polymeric Nanoparticles	515
13.4.3.2	Reinforcement and Performance of Rubber Compounds by Adding Tailored Polymeric Core-Shell Nanoparticles	515
13.5	Applications of Non-Black Fillers in Selected Segments of the Rubber Industry	521
13.5.1	Tires	521
13.5.1.1	Tread Compounds	522
13.5.1.2	Innerliner Compound	523
13.5.1.3	White Sidewall Compounds	524
13.5.2	Wires and Cables	526
13.5.2.1	Rubbers for High Voltage Insulation	527
13.5.3	Automotive Hose	528
13.5.4	Shoe and Footwear Products	529
13.5.5	Silicone-Rubber Compounding	530
14	Ester Plasticizers and Processing Additives	533
14.1	Ester Plasticizers for Elastomers	533
	<i>Wesley H. Whittington</i>	
14.1.1	Derivation	533
14.1.2	Philosophical	538
14.1.3	Applications	539
14.1.3.1	Low-ACN Content NBR	539
14.1.3.2	Neoprene Blend GN 88/WHV 12	541
14.1.3.3	Different Elastomers with the Same Plasticizer	542
14.1.3.4	Medium Acrylonitrile-Content NBR	542

14.1.3.5	Medium ACN NBR	544
14.1.3.6	Medium-High ACN-Content NBR	547
14.1.3.7	NBR/PVC Polyblends	549
14.1.3.8	Ethylene Acrylic and Polyacrylate Elastomers	549
14.1.3.9	Chlorosulfonated Polyethylene (CSM)	551
14.1.3.10	Chlorinated Polyethylene (CPE)	552
14.1.4	Application Trends	554
14.2	Process Additives	556
	<i>Christopher R. Stone</i>	
14.2.1	Control of Viscosity	557
14.2.1.1	Viscosity Control of Natural Rubber	557
14.2.1.2	Viscosity Control of Synthetic Rubber	562
14.2.2	Mode of Action of Process Additives	562
14.2.2.1	Surface Lubricants	565
14.2.2.2	Process Additives for Homogenizing and Improving Filler Dispersion	566
14.2.3	Application of Process Additives	567
	Appendix 14.1 – Common Esters for Rubber	572
	Appendix 14.2 – Abbreviations and Definitions	574
15	Sulfur Cure Systems	575
	<i>Byron H. To</i>	
15.1	Introduction and Historical Background	575
15.2	Vulcanizing Agents	577
15.3	Activators	577
15.4	Accelerators	579
15.5	Conventional, Semi-Efficient, and Efficient Cures	583
15.6	Retarders and Inhibitors	583
15.7	Recent Developments	585
16	Cures for Specialty Elastomers	593
	<i>Byron H. To</i>	
16.1	Introduction	593
16.2	Cure Systems for EPDM	593
16.3	Cure Systems for Nitrile	600
16.4	Cure Systems for Polychloroprene	603
16.5	Cure Systems for Butyl and Halobutyl Rubber	605

17	Peroxide Cure Systems	611
	<i>Leonard H. Palys</i>	
17.1	Introduction	611
17.1.1	What is an Organic Peroxide?	611
17.1.2	Classes of Organic Peroxides	611
17.1.3	General Peroxide Selection Guidelines	613
17.1.3.1	Half-Life	613
17.1.3.2	Minimum Cure Time	614
17.1.3.3	SADT (Self Accelerating Decomposition Temperature)	614
17.1.3.4	Maximum Storage Temperature (MST)	615
17.1.3.5	Energy of Peroxide Free Radicals	615
17.1.3.6	Peroxide Polymer Masterbatches	617
17.1.3.7	High Performance (HP) Peroxide Formulations for Improved Productivity	619
17.2	Peroxides Used in Crosslinking	622
17.2.1	Diacyl Peroxides	622
17.2.2	Peroxyester and Monoperoxycarbonate Peroxides	623
17.2.3	Peroxyketal and Dialkyl Type Peroxides	624
17.2.4	Performance Characteristics of Dialkyl Type Peroxides	630
17.2.5	t-Amyl and t-Butyl Type Peroxides	631
17.2.6	Effect of Additives When Crosslinking with Peroxides ..	632
17.3	Role of Monomeric Coagents in Peroxide Crosslinking	634
17.3.1	Crosslinking PE with Coagents and Peroxides	634
17.3.2	Crosslinking EPDM with Coagents and Peroxides	635
17.3.3	Crosslinking HNBR with Coagents and Peroxides	636
17.4	Advantages and Disadvantages of Peroxide Crosslinking versus Sulfur Vulcanization	637
18	Tackifying, Curing, and Reinforcing Resins	641
	<i>Bonnie Stuck</i>	
18.1	Introduction	641
18.2	Phenol-Formaldehyde Resins	642
18.2.1	Types of Phenol-Formaldehyde Resins	643
18.2.1.1	Reinforcing Resins	643
18.2.1.2	Tackifying Resins	647
18.2.1.3	Curing Resins	648
18.3	Methylene Donor Resins	649
18.4	Resorcinol-Based Resins	650

18.5	High Styrene Resins	650
18.6	Petroleum-Derived Resins	650
18.7	Wood-Derived Resins	650
19	Antidegradants	653
	<i>Fred Ignatz-Hoover</i>	
19.1	Introduction	653
19.2	Properties of Antidegradants	654
19.2.1	Discoloration and Staining	654
19.2.2	Volatility	655
19.2.3	Solubility and Migration	655
19.2.4	Chemical Stability	656
19.2.5	Physical Form	656
19.2.6	Antidegradant Concentration	657
19.3	Antidegradant Types	657
19.3.1	Non-Staining, Non-Discoloring Antioxidants	658
19.3.1.1	Hindered Phenols	658
19.3.1.2	Hindered "Bis" Phenols	658
19.3.1.3	Substituted Hydroquinones	659
19.3.1.4	Phosphites	659
19.3.1.5	Organic Sulfur Compounds	659
19.3.1.6	Hindered Amine and Nitroxyl Compounds	659
19.3.2	Staining/Discoloring Antioxidants	660
19.3.2.1	Phenyl-naphthylamines	660
19.3.2.2	Dihydroquinolines	660
19.3.2.3	Diphenylamine Derivatives	661
19.3.2.4	Substituted Paraphenylenediamines (PPDs)	661
19.3.2.5	Amine-based, "Bound-in" or "Polymer Bound" Antioxidants	661
19.3.3	Antiozonants	662
19.3.3.1	Petroleum Waxes	663
19.3.3.2	Nickel Dibutyldithiocarbamate (NBC)	663
19.3.3.3	6-Ethoxy-2,2,4-trimethyl-1,2-dihydroquinoline (ETMQ)	663
19.3.3.4	Substituted Paraphenylenediamines (PPDs)	664
19.4	Examples of Antidegradant Activity	665
19.4.1	Oxidation Resistance	665
19.4.2	Effect of Antidegradants on Fatigue Life	666
19.4.3	Combinations of Antiozonants and Antioxidants	668
19.4.4	Resistance to Metal Poisoning	668

20	Compounding for Brass Wire Adhesion	671
	<i>Alex Peterson</i>	
20.1	Introduction	671
20.2	Wire Bonding Systems	672
20.2.1	Cobalt	672
20.2.2	RF Resin-Cobalt	673
20.3	The Adhesion Mechanism	674
20.4	Compound Ingredient Effects	674
20.4.1	Mixing	675
20.4.2	Testing	675
20.4.3	Regression Plots	676
20.4.3.1	Carbon Black	676
20.4.3.2	Zinc Oxide/Stearic Acid	677
20.4.3.3	Sulfur/DCBS	678
20.4.3.4	Cobalt	678
20.4.3.5	RF Resin/HMMM	679
20.4.3.6	Carbon Black/Silica	680
20.4.3.7	Summary of Test Results	681
20.5	Model NR Ply Compounds	681
20.5.1	Black Control Compound	682
20.5.2	Black/Cobalt Compound	682
20.5.3	Black/Cobalt/RF Resin	682
20.5.4	Black/Silica/Cobalt/RF Resin	682
20.6	Summary	683
21	Chemical Blowing Agents	685
	<i>Ralph A. Annicelli</i>	
21.1	Introduction	685
21.2	Terminology	685
21.2.1	Open Cell Structure	686
21.2.2	Closed Cell Structure	686
21.3	Inorganic Blowing Agents	687
21.4	Organic Blowing Agents	688
21.4.1	Azodicarbonamide (ADC)	689
21.4.1.1	Properties	690
21.4.1.2	Activation	690
21.4.1.3	Factors Affecting Performance	690
21.4.1.4	Effect of Particle Size	692
21.4.1.5	Effect of Temperature	693
21.4.1.6	ADC Activation and Cell Size	693

21.4.2	Sulfonyl Hydrazides	694
21.4.2.1	Properties	694
21.4.2.2	Activation	694
21.4.2.3	Applications	694
21.4.3	Dinitrosopentamethylenetetramine (DNPT)	695
21.4.3.1	Properties	695
21.4.3.2	Activation	695
21.5	Methods of Expansion	696
21.5.1	Low Pressure Molding Process	696
21.5.2	High Pressure Molding Process	696
21.5.2.1	Precure Stage	696
21.5.2.2	Final Cure Stage	697
21.5.3	Continuous Vulcanization (CV)	697

22 Flame Retardants **699**

Kelvin K. Shen and David R. Schultz

22.1	Introduction	699
22.2	Fire Standards, Testing, and Applications	700
22.3	Commonly Used Flame Retardants in Elastomers	701
22.3.1	Aliphatic and Alicyclic Halogen Sources	701
22.3.2	Aromatic Halogen Sources	702
22.3.3	Synergists of Halogen Sources	702
22.3.3.1	Antimony Oxide	702
22.3.3.2	Zinc Borate	702
22.3.3.3	Phosphorus Compounds	703
22.3.4	Flame Retardant Fillers	703
22.3.4.1	Alumina Trihydrate (ATH)	703
22.3.4.2	Magnesium Hydroxide	703
22.3.4.3	Calcium Carbonate	703
22.3.4.4	Clay, Talc, and Silica	704
22.3.4.5	Carbon Black	704
22.4	Compounding and Dispersion Considerations	704
22.4.1	Polychloroprene (CR)	705
22.4.2	Chlorinated Polyethylene (CM)	706
22.4.3	Chlorosulfonated Polyethylene (CSM)	707
22.4.4	Ethylene-Propylene-Diene-Monomer (EPDM)	708
22.4.5	Styrene-Butadiene (SBR)	711
22.4.6	Nitrile-Butadiene Rubber (NBR) and Hydrogenated- Nitrile-Butadiene Rubber (HNBR)	711
22.4.7	Silicone Elastomer	713
22.4.8	Ethylene-Vinyl Acetate (EVM)	713

22.4.9	Ethylene-Propylene Elastomer (EPR)	714
22.4.10	Thermoplastic Elastomers (TPE)	714
23	Rubber Mixing	717
	<i>W.J. Hacker</i>	
23.1	Introduction	717
23.2	History	717
23.3	Equipment	718
23.3.1	Mills	718
23.3.2	Internal Mixers	719
23.3.2.1	Tangential Rotor Type	720
23.3.2.2	Intermeshing Rotor Type	720
23.3.2.3	Variable Internal Clearance Mixer	720
23.3.2.4	Continuous Mixers	721
23.3.2.5	Extruders	722
23.4	Mixing	723
23.4.1	Mill Mixing	723
23.4.2	Internal Mixer	725
23.4.2.1	Batch Size	725
23.4.2.2	Batch Conversion Factor	727
23.4.2.3	Density and Cost Calculations	727
23.4.2.4	Mixing Procedures	727
23.4.2.5	Mixing Temperatures	728
23.5	Mixing Methods	729
23.5.1	Natural Rubber Mastication	729
23.5.2	Masterbatch Mixing	730
23.5.3	Phase Mixing	730
23.5.4	Single-Stage Mix	732
23.5.5	Single-Cycle Mix	732
23.5.6	Two-Stage Mix	732
23.5.7	Tandem Mixing	733
23.5.8	Three-Stage Mix	733
23.5.9	Upside Down Mix	734
23.5.10	Variable Speed Mixing	734
23.5.11	Final Mix	735
23.5.12	Continuous Mixing	735
23.5.13	E-SBR Carbon Black Masterbatch	736
23.5.14	Energy Mixing	737
Index		739