

Contents

| | |
|--|-------------|
| Foreword | VII |
| Acknowledgments | IX |
| Preface | XI |
| List of Contributors | XIII |
| List of Symbols | XIX |
| List of Acronyms | XXI |
| | |
| 1 Introduction to Continuous–Discontinuous Fiber-Reinforced Polymer Composites | 1 |
| <i>Thomas Böhlke, Andrew Hrymak, Luise Kärger, Tarkes Dora Pallicity, Kay A. Weidenmann, Jeffrey T. Wood</i> | |
| 1.1 Fiber-Reinforced Composite Materials | 1 |
| 1.2 About IRTG GRK2078 | 3 |
| 1.3 Compression Molding Process | 5 |
| 1.4 Constituent Materials of CoDiCoFRTS | 6 |
| 1.4.1 Thermoset Matrix Material | 6 |
| 1.4.2 Fiber Reinforcements | 7 |
| 1.5 Demonstrator Product | 7 |
| 1.6 Organization of the Book | 8 |
| | |
| 2 Manufacturing of CoDiCoFRP | 11 |
| 2.1 Introduction | 11 |
| <i>David Bücheler, Frank Henning, Andrew Hrymak</i> | |
| 2.1.1 Challenges | 11 |
| 2.1.2 Approach | 12 |

| | | |
|-------|--|----|
| 2.2 | Processing of CoDiCo Material | 13 |
| | <i>David Bücheler</i> | |
| 2.2.1 | Introduction | 13 |
| 2.2.2 | Material and Process Development | 16 |
| 2.2.3 | Characterization and Modeling | 19 |
| 2.2.4 | Conclusions | 25 |
| 2.3 | Automated Integrated Handling and Preforming | 25 |
| | <i>Daniel Kupzik, Fabian Ballier, Jürgen Fleischer</i> | |
| 2.3.1 | Introduction | 25 |
| 2.3.2 | Grippers in Composite Production | 26 |
| 2.3.3 | Automated Placement of Grippers in Handling Systems | 28 |
| 2.3.4 | Prepreg-Specific Handling Tasks in Gripper Design | 31 |
| 2.3.5 | Demonstrator Units for Integrated Handling and Preforming | 42 |
| 2.3.6 | Conclusions | 45 |
| 2.4 | Quality Assurance of Continuous–Discontinuous Glass-Fiber SMC | 45 |
| | <i>Marielouise Schäferling, Gisela Lanza, Michael Thompson</i> | |
| 2.4.1 | Introduction | 45 |
| 2.4.2 | Defects in SMC and Unidirectional Prepregs | 46 |
| 2.4.3 | Classification of Defects | 47 |
| 2.4.4 | Measuring Methods and Testing Techniques | 48 |
| 2.4.5 | Multi-Sensor System | 52 |
| 2.4.6 | Data Fusion | 54 |
| 2.4.7 | Evaluation and Results | 56 |
| 2.4.8 | Effects of Defects | 58 |
| 2.4.9 | Conclusion | 60 |
| 2.5 | Machining of CoDiCoFRP | 61 |
| | <i>Anton Helfrich, Frederik Zanger, Volker Schulze</i> | |
| 2.5.1 | Introduction | 61 |
| 2.5.2 | Experimental Study of the Machining of CoDiCoFRP | 65 |
| 2.5.3 | Results and Discussion | 71 |
| 2.5.4 | Conclusions | 76 |
| 2.6 | Foaming of Microfibrillar Composites | 76 |
| | <i>Ali Rizvi, Chul B. Park</i> | |
| 2.6.1 | Introduction | 76 |
| 2.6.2 | Fibril Formation during Blending | 79 |
| 2.6.3 | Uniaxial Extensional Flow Response of Fibrillar Blends | 83 |
| 2.6.4 | Linear Viscoelastic Shear Response of Fibrillar Blends | 86 |
| 2.6.5 | Effect of Fibers on the Crystallization of Polymers | 87 |
| 2.6.6 | Role of Crystallization in Foaming | 88 |
| 2.6.7 | Foaming of Fibrillated Blends | 90 |
| 2.6.8 | Conclusions | 93 |

| | | |
|----------|--|------------|
| 3 | Characterization of CoDiCoFRP | 101 |
| 3.1 | Introduction | 101 |
| | <i>Kay A. Weidenmann</i> | |
| 3.1.1 | Challenges | 101 |
| 3.1.2 | Approaches | 102 |
| 3.2 | Interlaminar Fracture Analysis of Consolidated GF-PA6-Tapes | 104 |
| | <i>Michael Schober, Jörg Hohe, Peter Gumbsch, Takashi Kuboki</i> | |
| 3.2.1 | Introduction | 104 |
| 3.2.2 | Sample Manufacturing and Testing | 105 |
| 3.2.3 | Results of the Fracture Toughness Experiments | 109 |
| 3.2.4 | Analysis of the Microstructure and Crack-Initiating Factors | 112 |
| 3.2.5 | Assessment of the Physical Experiments by Numerical Simulations | 115 |
| 3.2.6 | Conclusions | 118 |
| 3.3 | Microstructure Characterization | 119 |
| | <i>Pascal Pinter, Kay A. Weidenmann, Peter Elsner</i> | |
| 3.3.1 | Introduction | 119 |
| 3.3.2 | Statistics | 121 |
| 3.3.3 | Image Processing | 124 |
| 3.3.4 | Orientation Analysis | 125 |
| 3.3.5 | Fiber Volume Fraction | 126 |
| 3.3.6 | Fiber Tracking | 128 |
| 3.3.7 | Application | 130 |
| 3.3.8 | Summary | 133 |
| 3.4 | Mechanical Characterization of Hybrid Continuous-Discontinuous Glass/Carbon Fiber Sheet Molding Compound Composites | 134 |
| | <i>Anna Trauth, William Altenhof, Kay A. Weidenmann</i> | |
| 3.4.1 | Introduction | 134 |
| 3.4.2 | Material Manufacturing | 135 |
| 3.4.3 | Methods | 136 |
| 3.4.4 | Results | 139 |
| 3.4.5 | Conclusion | 147 |
| 4 | Simulation of Sheet Molding Compound (SMC) and Long Fiber-Reinforced Thermoplastics (LFTP) | 151 |
| 4.1 | Introduction | 151 |
| | <i>Thomas Seelig, Thomas Böhlke</i> | |
| 4.1.1 | Challenges | 151 |
| 4.1.2 | Approaches | 152 |

| | | |
|-------|--|-----|
| 4.2 | Rheological Characterization and Process Simulation of SMC | 153 |
| | <i>Martin Hohberg, Luise Kärger, Frank Henning, Andrew Hrymak</i> | |
| 4.2.1 | Introduction | 153 |
| 4.2.2 | Rheological Measurements and Models | 158 |
| 4.2.3 | 3D Process Simulation of SMC | 165 |
| 4.2.4 | Conclusion | 168 |
| 4.3 | Phase-Field Modeling of the Curing Process in Fiber-Reinforced Thermosets on a Microscale | 168 |
| | <i>Felix K. Schwab, Daniel Schneider, Colin Denniston, Britta Nestler</i> | |
| 4.3.1 | Introduction | 168 |
| 4.3.2 | Microscale Simulation on the Basis of the Phase-Field Method . . | 169 |
| 4.3.3 | Modeling the Curing Process | 172 |
| 4.3.4 | Simulating the Curing Process | 179 |
| 4.3.5 | Conclusions | 183 |
| 4.4 | Multiscale Finite Element Simulation of Residual Stress in Laminates during Cure | 184 |
| | <i>Tarkes Dora Pallicity, Thomas Böhlke</i> | |
| 4.4.1 | Introduction | 184 |
| 4.4.2 | Thermo-Chemo-Mechanical Modeling of CoFRTS Laminates | 185 |
| 4.4.3 | Implementation in Finite Element Simulation | 187 |
| 4.4.4 | Validation of Evolution of Residual Stress in Laminates at the Macroscale | 188 |
| 4.4.5 | Microscale Simulation of Residual Stress in Laminates | 191 |
| 4.4.6 | Results and Discussion | 192 |
| 4.4.7 | Conclusions | 195 |
| 4.5 | Micromechanical Material Modeling and Experimental Characterization of DiCo SMC | 195 |
| | <i>Loredana Kehrner, Jeffrey T. Wood, Thomas Böhlke</i> | |
| 4.5.1 | Introduction | 195 |
| 4.5.2 | Characterization of DiCo UPPH | 197 |
| 4.5.3 | Prediction of Thermo-Elastic Material Behavior | 202 |
| 4.5.4 | Comparison of Simulation Results and Experimental Data | 205 |
| 4.5.5 | Summary and Conclusions | 208 |
| 4.6 | Mean-Field Damage Modeling of DiCoFRTS | 209 |
| | <i>Malte Schemmann, Johannes Görthofer, Thomas Seelig, Andrew Hrymak, Thomas Böhlke</i> | |
| 4.6.1 | Introduction | 209 |
| 4.6.2 | Continuum Mechanical Model | 211 |
| 4.6.3 | Parameter Identification | 219 |
| 4.6.4 | Application | 221 |
| 4.6.5 | Conclusions | 223 |

| | | |
|----------|--|------------|
| 4.7 | Material Modeling of Long Fiber-Reinforced Thermoplastic | 224 |
| | <i>Lukas Schulenberg, Thomas Seelig, Jörg Lienhard</i> | |
| 4.7.1 | Introduction | 224 |
| 4.7.2 | Material and Microstructure | 224 |
| 4.7.3 | Material Modeling | 226 |
| 4.7.4 | Parameter Identification and Model Verification | 231 |
| 4.7.5 | Quasi-Static Simulations | 232 |
| | 4.7.5.1 Simulations of Dynamic Tests | 234 |
| 4.7.6 | Conclusions | 239 |
| 5 | Designing CoDiCoFRP Structures | 249 |
| 5.1 | Introduction | 249 |
| | <i>Luise Kärger</i> | |
| 5.1.1 | Challenges | 249 |
| 5.1.2 | Approaches | 251 |
| 5.2 | Production-Oriented Dimensioning of Local Patches under Consideration of Distortion and Manufacturing Constraints | 252 |
| | <i>Benedikt Fengler, Luise Kärger, Frank Henning, Andrew Hrymak</i> | |
| 5.2.1 | Introduction | 252 |
| 5.2.2 | Draping Simulation Method | 254 |
| 5.2.3 | Curing and Warpage Simulation Method | 256 |
| 5.2.4 | Multi-Objective Patch Optimization Algorithm with Embedded Draping and Curing Simulation | 259 |
| 5.2.5 | Application Example | 261 |
| 5.2.6 | Conclusion | 265 |
| 5.3 | A Process-Related Topology Optimization Method to Design DiCoFRP Structures | 265 |
| | <i>Markus Spadinger, Albert Albers</i> | |
| 5.3.1 | Introduction | 265 |
| 5.3.2 | State of Research | 266 |
| 5.3.3 | Influence of Material Orientations on Topology Optimization Results | 270 |
| 5.3.4 | Coupled Optimization Process | 271 |
| 5.3.5 | Application Example | 273 |
| 5.3.6 | Conclusion | 276 |
| 5.4 | CoDiCo-FiberFox – Decision-Support System in Early Phases of Product Development with Fiber-Reinforced Composites | 276 |
| | <i>Viktoriia Butenko, Albert Albers</i> | |
| 5.4.1 | Introduction | 276 |
| 5.4.2 | Design Guidelines for FRP | 277 |
| 5.4.3 | Demand for Topics and Content in Design Guidelines for FRP | 281 |

| | | |
|----------|--|------------|
| 5.4.4 | Development of a Reference Design Guideline | 283 |
| 5.4.5 | CoDiCo-FiberFox – Decision-Support System | 287 |
| 5.4.6 | Conclusion | 293 |
| 6 | Compression Molding of the Demonstrator Structure | 297 |
| | <i>Johannes Görthofer, Nils Meyer, Ludwig Schöttl, Anna Trauth,</i> | |
| | <i>Malte Schemmann, Pascal Pinter, Benedikt Fengler, Sergej Ilinzeer,</i> | |
| | <i>Martin Hohberg, Tarkes Dora Pallicity, Luise Kärger, Kay A. Weidenmann,</i> | |
| | <i>Peter Elsner, Frank Henning, Andrew Hrymak, Thomas Böhlke</i> | |
| 6.1 | Introduction | 297 |
| 6.2 | Design and Manufacturing Technology of the Demonstrator | 299 |
| 6.3 | Compression Molding Simulation, Experimental Validation and Mapping | 302 |
| 6.3.1 | Flow Simulation | 302 |
| 6.3.2 | Mapping of Flow Simulation Results | 303 |
| 6.3.3 | Microstructure Characterization Using μ CT Volume Images | 304 |
| 6.3.4 | Mapping of Orientation Tensor N | 305 |
| 6.3.5 | Comparison | 306 |
| 6.4 | Structural Simulation and Its Experimental Validation | 307 |
| 6.4.1 | Structural Simulation | 307 |
| 6.4.2 | Experimental Investigation | 309 |
| 6.4.3 | Comparison | 311 |
| 6.5 | Conclusions | 313 |
| | Index | 315 |