

Contents

Preface	I
----------------------	----------

About the Authors	III
--------------------------------	------------

1. Manufacture of Fillers	1
--	----------

1.1 Manufacture of Carbon Black	3
1.1.1 Mechanisms of Carbon Black Formation	3
1.1.2 Manufacturing Process of Carbon Black	6
1.1.2.1 Oil-Furnace Process	6
1.1.2.2 The Thermal Black Process	10
1.1.2.3 Acetylene Black Process	11
1.1.2.4 Lampblack Process.....	11
1.1.2.5 Impingement (Channel, Roller) Black Process	12
1.1.2.6 Recycle Blacks.....	12
1.1.2.7 Surface Modification of Carbon Blacks	13
1.1.2.7.1 Attachments of the Aromatic Ring Nucleus to Carbon Black	13
1.1.2.7.2 Attachments to the Aromatic Ring Structure through Oxidized Groups	13
1.1.2.7.3 Metal Oxide Treatment.....	14
1.2 Manufacture of Silica.....	14
1.2.1 Mechanisms of Precipitated Silica Formation	15
1.2.2 Manufacturing Process of Precipitated Silica	16
1.2.3 Mechanisms of Fumed Silica Formation	18
1.2.4 Manufacture Process of Fumed Silica	18
References	19

2. Characterization of Fillers	22
---	-----------

2.1 Chemical Composition.....	23
2.1.1 Carbon Black	23

2.1.2	Silica.....	25
2.2	Micro-Structure of Fillers	27
2.2.1	Carbon Black	27
2.2.2	Silica.....	29
2.3	Filler Morphologies	29
2.3.1	Primary Particles-Surface Area.....	29
2.3.1.1	Transmission Electron Microscope (TEM)	30
2.3.1.2	Gas Phase Adsorptions	34
2.3.1.2.1	Total Surface Area Measured by Nitrogen Adsorption – BET/NSA	35
2.3.1.2.2	External Surface Area Measured by Nitrogen Adsorption – STSA.....	41
2.3.1.2.3	Micro-Pore Size Distribution Measured by Nitrogen Adsorption.....	46
2.3.1.3	Liquid Phase Adsorptions.....	51
2.3.1.3.1	Iodine Adsorptions	52
2.3.1.3.2	Adsorption of Large Molecules	56
2.3.2	Structure-Aggregate Size and Shape.....	61
2.3.2.1	Transmission Electron Microscopy.....	62
2.3.2.2	Disc Centrifuge Photosedimentometer	66
2.3.2.3	Void Volume Measurement.....	68
2.3.2.3.1	Oil Absorption	69
2.3.2.3.2	Compressed Volume	75
2.3.2.3.3	Mercury Porosimetry.....	80
2.3.3	Tinting Strength	83
2.4	Filler Surface Characteristics	92
2.4.1	Characterization of Surface Chemistry of Filler-Surface Groups	92
2.4.2	Characterization of Physical Chemistry of Filler Surface-Surface Energy.....	93
2.4.2.1	Contact Angle	98
2.4.2.1.1	Single Liquid Phase.....	98
2.4.2.1.2	Dual Liquid Phases.....	102
2.4.2.2	Heat of Immersion.....	106
2.4.2.3	Inverse Gas Chromatograph	111
2.4.2.3.1	Principle of Measuring Filler Surface Energy with IGC	111
2.4.2.3.2	Adsorption at Infinite Dilution.....	112
2.4.2.3.3	Adsorption at Finite Concentration	118
2.4.2.3.4	Surface Energy of the Fillers	123
2.4.2.3.5	Estimation of Rubber-Filler Interaction from Adsorption Energy of Elastomer Analogs	139
2.4.2.4	Bound Rubber Measurement	142

References	143
3. Effect of Fillers in Rubber.....	153
3.1 Hydrodynamic Effect – Strain Amplification.....	153
3.2 Interfacial Interaction between Filler and Polymer.....	155
3.2.1 Bound Rubber.....	155
3.2.2 Rubber Shell	159
3.3 Occlusion of Rubber	161
3.4 Filler Agglomeration	163
3.4.1 Observations of Filler Agglomeration.....	163
3.4.2 Modes of Filler Agglomeration.....	164
3.4.3 Thermodynamics of Filler Agglomeration	167
3.4.4 Kinetics of Filler Agglomeration	170
References	173
4. Filler Dispersion	177
4.1 Basic Concept of Filler Dispersion.....	177
4.2 Parameters Influencing Filler Dispersion	179
4.3 Liquid Phase Mixing.....	187
References	191
5. Effect of Fillers on the Properties of Uncured Compounds.....	193
5.1 Bound Rubber.....	193
5.1.1 Significance of Bound Rubber	194
5.1.2 Measurement of Bound Rubber	195
5.1.3 Nature of Bound Rubber Attachment.....	197
5.1.4 Polymer Mobility in Bound Rubber.....	202
5.1.5 Polymer Effects on Bound Rubber.....	203
5.1.5.1 Molecular Weight Effects	203
5.1.5.2 Polymer Chemistry Effects	203
5.1.6 Effect of Filler on Bound Rubber.....	204
5.1.6.1 Surface Area and Structure	204
5.1.6.2 Specific Surface Activity of Carbon Blacks	206
5.1.6.3 Effect of Surface Characteristics on Bound Rubber	210
5.1.6.4 Carbon Black Surface Modification.....	211
5.1.6.5 Silica Surface Modification.....	215
5.1.7 Effect of Mixing Conditions on Bound Rubber.....	215
5.1.7.1 Temperature and Time of Mixing.....	216

5.1.7.2	Mixing Sequence Effect of Rubber Ingredients	218
5.1.7.2.1	Mixing Sequence of Oil and Other Additives	219
5.1.7.2.2	Mixing Sequence of Sulfur, Sulfur Donor, and Other Crosslinkers	221
5.1.7.2.3	Bound Rubber of Silica Compounds	222
5.1.7.3	Bound Rubber in Wet Masterbatches	223
5.1.7.4	Bound Rubber of Fumed Silica-Filled Silicone Rubber	225
5.2	Viscosity of Filled Compounds	227
5.2.1	Factors Influencing Viscosity of the Carbon Black-Filled Compounds	227
5.2.2	Master Curve of Viscosity vs. Effective Volume of Carbon Blacks	230
5.2.3	Viscosity of Silica Compounds	233
5.2.4	Viscosity Growth – Storage Hardening	238
5.3	Die Swell and Surface Appearance of the Extrudate	241
5.3.1	Die Swell of Carbon Black Compounds	241
5.3.2	Die Swell of Silica Compounds	246
5.3.3	Extrudate Appearance	247
5.4	Green Strength	249
5.4.1	Effect of Polymers	249
5.4.2	Effect of Filler Properties	252
	References	255

6. Effect of Fillers on the Properties of Vulcanizates.....263

6.1	Swelling	263
6.2	Stress-Strain Behavior	271
6.2.1	Low Strain	271
6.2.2	Hardness	274
6.2.3	Medium and High Strains – The Strain Dependence of Modulus	275
6.3	Strain-Energy Loss – Stress-Softening Effect	279
6.3.1	Mechanisms of Stress-Softening Effect	282
6.3.1.1	Gum	282
6.3.1.2	Filled Vulcanizates	283
6.3.1.3	Recovery of Stress Softening	287
6.3.2	Effect of Fillers on Stress Softening	288
6.3.2.1	Carbon Blacks	288
6.3.2.1.1	Effect of Loading	288
6.3.2.1.2	Effect of Surface Area	289

6.3.2.1.3	Effect of Structure.....	290
6.3.2.2	Precipitated Silica	290
6.4	Fracture Properties.....	295
6.4.1	Crack Initiation.....	295
6.4.2	Tearing	296
6.4.2.1	State of Tearing.....	296
6.4.2.1.1	Effect of Filler	301
6.4.2.1.2	Effect of Polymer Crystallizability and Network Structure.....	302
6.4.2.2	Tearing Energy.....	306
6.4.2.2.1	Effect of Filler.....	306
6.4.2.2.2	Effect of Polymer Crystallizability and Network Structure.....	307
6.4.3	Tensile Strength and Elongation at Break.....	315
6.4.4	Fatigue.....	318
References.....		321

7. Effect of Fillers on the Dynamic Properties of

Vulcanizates.....329

7.1	Dynamic Properties of Vulcanizates.....	329
7.2	Dynamic Properties of Filled Vulcanizates	332
7.2.1	Strain Amplitude Dependence of Elastic Modulus of Filled Rubber.....	332
7.2.2	Strain Amplitude Dependence of Viscous Modulus of Filled Rubber.....	340
7.2.3	Strain Amplitude Dependence of Loss Tangent of Filled Rubber.....	343
7.2.4	Hysteresis Mechanisms of Filled Rubber Concerning Different Modes of Filler Agglomeration.....	348
7.2.5	Temperature Dependence of Dynamic Properties of Filled Vulcanizates.....	350
7.3	Dynamic Stress Softening Effect.....	354
7.3.1	Stress-Softening Effect of Filled Rubbers Measured with Mode 2	355
7.3.2	Effect of Temperature on Dynamic Stress-Softening	359
7.3.3	Effect of Frequency on Dynamic Stress-Softening.....	360
7.3.4	Stress-Softening Effect of Filled Rubbers Measured with Mode 3	362
7.3.5	Effect of Filler Characteristics on Dynamic	

Stress-Softening and Hysteresis	369
7.3.6 Dynamic Stress-Softening of Silica Compounds Produced by Liquid Phase Mixing	371
7.4 Time-Temperature Superposition of Dynamic Properties of Filled Vulcanizates	376
7.5 Heat Build-up	385
7.6 Resilience	387
References	389

8. Rubber Reinforcement Related to Tire Performance.....394

8.1 Rolling Resistance	394
8.1.1 Mechanisms of Rolling Resistance – Relationship between Rolling Resistance and Hysteresis	394
8.1.2 Effect of Filler on Temperature Dependence of Dynamic Properties	396
8.1.2.1 Effect of Filler Loading	396
8.1.2.2 Effect of Filler Morphology	397
8.1.2.2.1 Effect of Surface Area	397
8.1.2.2.2 Effect of Structure	400
8.1.2.3 Effect of Filler Surface Characteristics	402
8.1.2.3.1 Effect of Carbon Black Graphitization on Dynamic Properties	403
8.1.2.3.2 Comparison of Carbon Black and Silica	405
8.1.2.3.3 Effect of Filler Blends (Blend of Silica and Carbon Black, without Coupling Agent)	408
8.1.2.3.4 Effect of Surface Modification of Silica	411
8.1.2.3.5 Effect of Surface Modification of Carbon Black on Dynamic Properties	414
8.1.2.3.6 Carbon/Silica Dual Phase Filler	418
8.1.2.3.7 Polymeric Filler	423
8.1.3 Mixing Effect	425
8.1.4 Precrosslinking Effect	428
8.2 Skid Resistance – Friction	430
8.2.1 Mechanisms of Skid Resistance	434
8.2.1.1 Friction and Friction Coefficients – Static Friction and Dynamic Friction	434
8.2.1.2 Friction between Two Rigid Solid Surfaces	434
8.2.2 Friction of Rubber on Rigid Surface	435
8.2.2.1 Dry Friction	435

8.2.2.1.1	Adhesion Friction.....	435
8.2.2.1.2	Hysteresis Friction	437
8.2.2.2	Wet Friction	438
8.2.2.2.1	Elastohydrodynamic Lubrication	439
8.2.2.2.2	The Thickness of Lubricant Film for Rubber Sliding over Rigid Asperity	439
8.2.2.2.3	Boundary Lubrication.....	439
8.2.2.2.4	Difference in Boundary Lubrication between Rigid-Rigid and Rigid-Elastomer Surfaces.....	440
8.2.2.3	Review of Frictional Properties of Some Tire Tread Materials.....	442
8.2.2.3.1	Carbon and Graphite	442
8.2.2.3.2	Glass.....	443
8.2.2.3.3	Rubber	443
8.2.2.3.4	Prediction of Friction of Filled Rubbers on Dry and Wet Road Surfaces Based on Surface Characteristics of Different Materials	444
8.2.2.4	Morphology of the Worn Surface of Filled Vulcanizates.....	444
8.2.2.4.1	Comparison of Polymer-Filler Interaction between Carbon Black and Silica	445
8.2.2.4.2	Effect of Break-in of Specimens under Wet Conditions on Friction Coefficients	448
8.2.2.4.3	Abrasion Resistance of Filled Vulcanizates under Wet and Dry Conditions	449
8.2.2.4.4	Observation of the Change in Friction Coefficients during Skid Test	450
8.2.2.4.5	SEM Observation of Worn Surface.....	451
8.2.3	Wet Skid Resistance of Tire	451
8.2.3.1	Three Zone Concept	452
8.2.3.2	Effect of Different Fillers in the Three Zones.....	454
8.2.3.2.1	Minimization of Squeeze-Film Zone.....	454
8.2.3.2.2	Minimization of Transition Zone and Maximizing Its Boundary Lubrication Component.....	454
8.2.3.2.3	Maximization of Traction Zone	456
8.2.3.3	Influencing Factors on Wet Skid Resistance	456
8.2.3.3.1	Effect of Test Conditions on Wet Skid Resistance.....	458
8.2.3.3.2	Effect of Compound Properties and Test Methods on Wet Skid Resistance.....	464
8.2.3.4	Development of a New Filler for Wet Skid Resistance.....	467
8.3	Abrasion Resistance.....	471

8.3.1	Abrasion Mechanisms	471
8.3.2	Effect of Filler Parameters on Abrasion	480
8.3.2.1	Effect of Filler Loading	480
8.3.2.2	Effect of Filler Surface Area	482
8.3.2.3	Effect of Filler Structure	483
8.3.2.4	Effect of Filler-Elastomer Interaction	485
8.3.2.4.1	Effect of Filler-Elastomer Interaction Related to Surface Area	485
8.3.2.4.2	Effect of Heat Treatment of Carbon Black	486
8.3.2.4.3	Effect of Oxidation of Carbon Black	487
8.3.2.4.4	Effect of Physical Adsorption of Chemicals on Carbon Black Surface	487
8.3.2.5	Effect of Carbon Black Mixing Procedure	488
8.3.2.6	Silica vs. Carbon Black	490
8.3.2.7	Silica in Emulsion SBR Compounds	491
8.3.2.8	Silica in NR Compounds	492
8.3.2.9	Effect of CSDPF on Abrasion Resistance	494
References	495

9. Development of New Materials for Tire Application508

9.1	Chemical Modified Carbon Black	508
9.2	Carbon-Silica Dual Phase Filler (CSDPF)	510
9.2.1	Characteristics of Chemistry	512
9.2.2	Characteristics of Compounding	513
9.2.3	Application of CSDPF 4000 in Passenger Tires	515
9.2.4	Application of CSDPF 2000 in Truck Tires	515
9.3	NR/Carbon Black Masterbatch Produced by Liquid Phase Mixing	516
9.3.1	Mechanisms of Mixing, Coagulation, and Dewatering	517
9.3.2	Compounding Characteristics	518
9.3.2.1	Mastication Efficiency	519
9.3.2.2	CEC Product Form	520
9.3.2.3	Mixing Equipment	520
9.3.2.4	Mixing Procedures	521
9.3.2.4.1	Two-Stage Mixing	521
9.3.2.4.2	Single-Stage Mixing	522
9.3.2.5	Total Mixing Cycle	523
9.3.3	Cure Characteristics	524
9.3.4	Physical Properties of CEC Vulcanizates	524
9.3.4.1	Stress-Strain Properties	524

9.3.4.2	Abrasion Resistance	525
9.3.4.3	Dynamic Hysteresis at High Temperature	526
9.3.4.4	Cut-Chip Resistance	529
9.3.4.5	Flex Fatigue	529
9.4	Synthetic Rubber/Silica Masterbatch Produced with Liquid Phase Mixing	530
9.4.1	Production Process of EVEC	531
9.4.2	Compound Properties	532
9.4.2.1	Bound Rubber Content	533
9.4.2.2	Mooney Viscosity	534
9.4.2.3	Extrusion	534
9.4.2.4	Cure Characteristics	535
9.4.3	Vulcanizate Properties	537
9.4.3.1	Hardness of Vulcanizates	537
9.4.3.2	Static Stress-Strain Properties	537
9.4.3.3	Tensile Strength and Elongation at Break	540
9.4.3.4	Tear Strength	540
9.4.3.5	Dynamic Properties	541
9.4.3.5.1	Strain Dependence of Dynamic Properties	541
9.4.3.5.2	Temperature Dependence of Dynamic Properties	544
9.4.3.5.3	Rebound and Heat Build-up	548
9.4.3.6	Abrasion Resistance	548
9.5	Powdered Rubber	549
9.5.1	Production of Powdered Rubber	549
9.5.2	Mixing of Powdered Rubber	549
9.5.3	Properties of Powdered Rubber Compounds	550
9.6	Masterbatches with Other Fillers	551
9.6.1	Starch	551
9.6.2	Organo-Clays	553
	References	553

10. Reinforcement of Silicone Rubber558

10.1	Fumed vs. Precipitated Silica	559
10.2	Interaction between Silica and Silicone Polymers	560
10.2.1	Surface Energy Characterization by Inverse Gas Chromatography	560
10.2.2	Bound Rubber in Silica-PDMS Systems	562
10.3	Crepe Hardening	563
10.4	Silica Surface Modification	564

10.5	Morphological Properties of Silica	565
10.5.1	Surface Area	565
10.5.2	Structure Properties of Silica	567
10.6	Mixing and Processing of Silicone Compounds.....	568
10.7	Silica Dispersion in Silicone Rubber	572
10.8	Static Mechanical Properties	573
10.8.1	Tensile Modulus.....	573
10.8.2	Tensile Strength and Elongation Properties.....	576
10.8.3	Compression Set	576
10.9	Dynamic Mechanical Properties.....	578
	References	580

Index	583
--------------------	------------