

# Contents

<b>The Author</b> .....	<b>V</b>
<b>Preface</b> .....	<b>VII</b>
<b>1 Introduction to Filled Elastomers</b> .....	<b>1</b>
1.1 Reinforcement of Elastomers .....	5
1.2 Rubber Melts and Elastomers .....	7
1.3 Entropy Elasticity .....	9
1.4 Advantages of Fillers .....	11
1.5 The Role of Filler Activity .....	12
1.6 The Role of Filler Dispersion .....	16
<b>2 Active Fillers</b> .....	<b>21</b>
2.1 Carbon Black .....	21
2.1.1 Thermo-Oxidative Process .....	23
2.1.1.1 Channel Black Process .....	23
2.1.1.2 Furnace Black Process .....	24
2.1.1.3 Formation of Furnace Carbon Black .....	31
2.1.1.4 Gas Black Process .....	35
2.1.1.5 Lamp Black Process .....	36
2.1.2 Thermal Decomposition Process .....	37
2.1.2.1 Thermal Black Process .....	38
2.1.2.2 Acetylen Black Process .....	39
2.1.3 Pellet Size and Hardness .....	40

2.1.4	Purity of Carbon Black .....	42
2.1.5	Classification of Carbon Black.....	42
2.1.6	Global Production of Carbon Black .....	44
2.2	Amorphous Silica .....	44
2.2.1	Manufacture of Precipitated Silica.....	45
2.2.2	Formation of Precipitated Silica .....	48
2.2.3	Surface-Treated Silicas .....	49
2.2.4	Classification of Precipitated Silica .....	50
2.2.5	Global Production.....	51
2.3	Fumed Silica.....	52
2.3.1	Formation of Fumed Silica.....	53
2.3.2	Global Production.....	54
2.4	Layered Silicates .....	55
2.4.1	Chemical Composition of Montmorillonite .....	56
2.4.2	Organo-Clays .....	59
2.4.3	Global Production of Layered Silicates.....	61
2.5	Carbon Nanotubes .....	61
2.5.1	Manufacturing of Carbon Nanotubes .....	64
2.5.1.1	Arc Discharge Process.....	64
2.5.1.2	Laser Ablation Process .....	65
2.5.1.3	Chemical Vapor Deposition Process .....	66
2.5.2	Purification of Carbon Nanotubes .....	68
2.5.3	Use of Carbon Nanotubes.....	69
2.5.4	Producer of Carbon Nanotubes.....	69
2.6	Human Risk of the Filler .....	70
<b>3</b>	<b>Characterization of Fillers .....</b>	<b>75</b>
3.1	Chemical Composition of Fillers .....	76
3.1.1	Carbon Black .....	76
3.1.2	Precipitated and Fumed Silica.....	78
3.1.3	Layered Silicates.....	81
3.1.4	Carbon Nanotubes .....	82
3.2	Primary Particle Size .....	83
3.2.1	Hierarchical Organization of Aggregates .....	83
3.2.1.1	Carbon Black.....	83

3.2.1.2	Precipitated Silica and Fumed Silica . . . . .	86
3.2.1.3	Layered Silicates . . . . .	88
3.2.1.4	Carbon Nanotubes . . . . .	88
3.3	Morphology of Primary Particles . . . . .	88
3.3.1	Microstructure of Primary Particles of Carbon Black . . . . .	89
3.3.2	Microstructure of Primary Silica Particles . . . . .	92
3.4	Size of Primary Particles . . . . .	94
3.5	Specific Surface Area . . . . .	96
3.5.1	TEM Determination of Specific Surface Area . . . . .	96
3.5.2	Brunauer–Emett–Teller Method . . . . .	97
3.5.2.1	Carbon Black . . . . .	100
3.5.2.2	Precipitated Silica and Fumed Silica . . . . .	102
3.5.2.3	Layered Silicates . . . . .	103
3.5.2.4	Carbon Nanotubes . . . . .	103
3.5.3	External Surface Area (STSA) . . . . .	104
3.5.4	Iodine Adsorption . . . . .	105
3.5.5	CTAB Method . . . . .	106
3.5.6	Disc Centrifuge Photosedimentometry . . . . .	108
3.5.7	Tinting Strength of Carbon Black . . . . .	109
3.6	Aggregate Structure . . . . .	110
3.6.1	Determination of Void Volume . . . . .	112
3.6.1.1	Carbon Black . . . . .	113
3.6.1.2	Precipitated Silica . . . . .	115
3.6.2	Influence of Pressure on Void Volume . . . . .	115
3.6.2.1	Carbon Black . . . . .	116
3.6.2.2	Precipitated Silica . . . . .	117
3.6.3	Porosimetry . . . . .	118
3.6.4	Calculated Void Volume . . . . .	120
3.6.5	Fractal Approach to Aggregates . . . . .	122
3.6.6	Independent Parameters: Specific Surface Area and Void Volume . . . . .	124
3.7	Aspect Ratio . . . . .	125
3.7.1	Fillers with Low Aspect Ratios . . . . .	125
3.7.2	Fillers with High Aspect Ratios . . . . .	126

3.8	Electrical Properties of Carbon Blacks and Carbon Nanotubes.....	128
3.8.1	Electrical Conductivity of Carbon Black.....	131
3.8.2	Electrical Conductivity of Carbon Nanotubes.....	133
3.9	Surface Activity.....	134
3.9.1	Surface Roughness.....	136
3.9.2	Surface Energy of Fillers.....	137
3.9.2.1	Adsorptive Interactions with Solvents.....	138
3.9.2.2	Sorption Energy.....	139
3.9.2.3	Surface Energy Distribution.....	142
3.10	Silanization of Precipitated Silica.....	147
3.10.1	Monofunctional Organo-Silanes.....	147
3.10.2	Bifunctional Silanes.....	150
3.11	Functionalization of Carbon Black.....	155
3.11.1	Graphitized Carbon Black.....	155
3.11.2	In-Process Functionalization of Carbon Black.....	157
3.11.3	Post-Functionalization of Carbon Black.....	158
3.11.4	Recycled Carbon Black.....	159
3.11.5	Functionalized Carbon Nanotubes.....	160
<b>4</b>	<b>Mixing Process for Rubber Compounds.....</b>	<b>171</b>
4.1	Dry-Mixing.....	172
4.1.1	Dry-Mixing.....	173
4.1.1.1	Dispersive Mixing.....	174
4.1.1.2	Distributive Mixing.....	176
4.1.1.3	Laminar Mixing.....	178
4.1.2	Dry-Mixing Strategies.....	178
4.1.2.1	Conventional Mixing.....	179
4.1.2.2	Early Oil Addition.....	182
4.1.2.3	“Upside-Down” Mixing.....	182
4.1.3	Mixing Steps.....	183
4.1.3.1	Plasticization.....	184
4.1.3.2	Filler Incorporation.....	186
4.1.3.3	Filler Dispersion.....	190
4.1.3.4	Filler Distribution.....	192
4.2	Dry-Mixing Technology.....	193

4.2.1	Two-Roll Mills .....	194
4.2.2	Internal Mixers .....	197
4.2.2.1	Feed Hopper .....	198
4.2.2.2	Mixing Chamber .....	199
4.2.2.3	Rotor Geometry .....	200
4.2.2.4	Tangential Rotors .....	202
4.2.2.5	Intermeshing Rotors .....	206
4.2.2.6	Cooling of Internal Mixers .....	209
4.2.2.7	Ram Pressure .....	210
4.2.2.8	Fill Factor .....	212
4.2.2.9	Base Plate and Drop Door .....	213
4.2.3	Comparing Internal Mixers .....	214
4.2.4	Tandem Mixers .....	215
4.3	Wet-Mixing .....	216
4.3.1	Carbon Blacks .....	217
4.3.2	Precipitated Silicas .....	219
4.3.3	Layered Silicates .....	220
4.3.4	Carbon Nanotubes .....	221
<b>5</b>	<b>Filler Dispersion in Rubber .....</b>	<b>225</b>
5.1	Theoretical Aspects .....	226
5.2	Determination of Filler Dispersion .....	228
5.2.1	Filler Macro-Dispersion .....	230
5.2.1.1	Optical Surface Roughness Methods .....	230
5.2.1.2	Mechanical Roughness Methods .....	234
5.2.2	Filler Micro-Dispersion .....	235
5.2.2.1	Transmission Electron Microscopy Method .....	236
5.2.2.2	Scanning Electron Microscopy Method .....	238
5.2.2.3	Atomic Force Microscopy Method .....	239
5.2.2.4	Indirect Methods .....	240
5.3	Filler Dispersion in Rubber Vulcanizates .....	240
5.3.1	Dispersion of Carbon Blacks .....	241
5.3.1.1	Influence of Specific Surface Area .....	241
5.3.1.2	Influence of Void Volume .....	243
5.3.1.3	Modification of Surface Activity .....	245

5.3.2	Dispersion of Precipitated Silicas . . . . .	247
5.3.3	Dispersion of Layered Silicates . . . . .	249
5.3.4	Dispersion of Carbon Nanotubes . . . . .	250
5.4	Influence of Rubber . . . . .	252
5.4.1	Influence of Functionalized Rubbers . . . . .	255
5.5	Influence of Mineral Oil . . . . .	256
5.6	Influence of Process Parameters . . . . .	258
5.6.1	Influence of Mixing Time . . . . .	258
5.6.2	Influence of Rotor Speed . . . . .	259
<b>6</b>	<b>Distribution of Filler in Rubber Blends . . . . .</b>	<b>271</b>
6.1	Thermodynamics of Rubber Blends . . . . .	272
6.1.1	Free Energy of Mixing . . . . .	274
6.1.2	Concept of Solubility Parameter . . . . .	276
6.1.3	Interfacial Tension . . . . .	277
6.2	Types of Unfilled Rubber Blends . . . . .	279
6.2.1	Development of Phase Morphology . . . . .	280
6.2.2	Crosslinking Density of the Blend Phases . . . . .	284
6.3	Methods of Determining Phase Morphology . . . . .	286
6.4	Unfilled Rubber Blends . . . . .	287
6.5	Filler Distribution in Rubber Blends . . . . .	290
6.5.1	Natural Distribution . . . . .	292
6.5.1.1	Blends with Large $\delta$ -Parameter Difference . . . . .	293
6.5.1.2	Blends with Small $\delta$ -Parameter Difference . . . . .	297
6.5.2	Forced Distribution of Filler . . . . .	304
6.6	Filler Transfer during Mixing . . . . .	309
6.7	Determination of Filler Partition . . . . .	311
6.7.1	Use of Crystallinity Loss . . . . .	311
6.7.2	Composition of Bound Rubber . . . . .	311
6.7.3	Dynamical Mechanical Analysis . . . . .	312
<b>7</b>	<b>Rubber-Filler and Filler-Filler Interactions . . . . .</b>	<b>317</b>
7.1	Rubber-Filler Interactions . . . . .	318
7.1.1	Adsorption of Polymers in Solution . . . . .	320
7.1.2	Equilibrium Swelling of Filled Vulcanizates . . . . .	325

7.1.3	Rubber Shell .....	328
7.1.4	Bound Rubber .....	333
7.1.4.1	Determination of Bound Rubber .....	335
7.1.4.2	Influence of the Mixing Process .....	335
7.1.4.3	Influence of Carbon Black .....	338
7.1.4.4	Influence of Precipitated Silica .....	342
7.1.4.5	Carbon Nanotubes .....	343
7.1.4.6	Influence of the Polymer .....	343
7.1.4.7	Influence of the Rubber Ingredients .....	346
7.1.5	Phase Adhesion .....	346
7.2	Filler-Filler Interaction .....	349
7.2.1	Carbon Blacks .....	350
7.2.2	Precipitated Silicas .....	353
7.2.3	Filler Flocculation .....	354
<b>8</b>	<b>Flow Behavior of Rubber Compounds .....</b>	<b>361</b>
8.1	Types of Extruders .....	361
8.2	Flow Behavior of Unfilled Rubber Melts .....	362
8.2.1	Newtonian and Non-Newtonian Fluids .....	364
8.2.2	Influence of Temperature .....	366
8.2.3	Influence of Molecular Weight and Molecular Weight Distribution .....	368
8.2.4	Extrudate Die Swell .....	371
8.2.5	Viscoelasticity of Polymer Melts .....	373
8.2.5.1	Viscoelasticity of Unfilled Rubber Melts .....	374
8.3	Test Methods .....	378
8.4	Rheological Properties of Filled Rubbers .....	383
8.4.1	Filler Loading, Specific Surface Area, Structure and Aspect Ratio .....	384
8.4.1.1	Effect of Carbon Black .....	384
8.4.1.2	Effect of Precipitated Silica/Silanes .....	393
8.4.1.3	Effect of Layered Silicates .....	396
8.4.1.4	Effect of Carbon Nanotubes .....	399
8.4.2	Influence of Filler Dispersion .....	403
8.4.3	Influence of Plasticizers .....	406
8.4.4	Influence of Storage Conditions .....	407
8.5	Die Swell of Filled Rubber Melts .....	408

8.5.1	Effect of Carbon Blacks . . . . .	409
8.5.2	Effect of Precipitated Silicas. . . . .	413
8.5.3	Effect of Layered Silicates. . . . .	414
8.6	Green Strength and Yield Stress . . . . .	415
8.6.1	Effect of Carbon Blacks . . . . .	416
8.6.2	Effect of Precipitated Silicas. . . . .	416
8.6.3	Effect of Layered Silicates. . . . .	417
8.6.4	Effect of Carbon Nanotubes . . . . .	417
8.7	Flow Anomalies . . . . .	417
8.7.1	Wall Slippage . . . . .	418
8.7.2	Melt Fracture . . . . .	424
8.8	Tack and Adhesion . . . . .	426
<b>9</b>	<b>Physical Properties of Rubber Vulcanizates . . . . .</b>	<b>433</b>
9.1	Hardness of Rubber . . . . .	434
9.1.1	Hardness of Filled Elastomers. . . . .	435
9.1.1.1	Influence of Carbon Black . . . . .	436
9.1.1.2	Influence of Precipitated Silica. . . . .	437
9.1.1.3	Influence of Layered Silicates. . . . .	439
9.1.1.4	Influence of Carbon Nanotubes . . . . .	440
9.2	Compression Set . . . . .	442
9.2.1	Compression Set of Unfilled Elastomers. . . . .	443
9.2.2	Compression Set of Filled Elastomers . . . . .	444
9.2.2.1	Influence of Carbon Black . . . . .	444
9.2.2.2	Influence of Precipitated Silica. . . . .	445
9.2.2.3	Influence of Layered Silicates. . . . .	446
9.2.2.4	Influence of Carbon Nanotubes . . . . .	446
9.3	Stress-Strain Behavior . . . . .	447
9.3.1	Stress-Strain Behavior of Unfilled Elastomers. . . . .	449
9.3.2	Stress-Strain Behavior of Filled Elastomers. . . . .	455
9.3.2.1	Young's Modulus . . . . .	455
9.3.2.2	Medium Elongation. . . . .	462
9.3.3	Stress Softening (Mullins Effect) . . . . .	471
9.3.3.1	Stress Softening in Carbon Black Elastomers . . . . .	475
9.3.3.2	Stress Softening in Precipitated Silica Elastomers. . . . .	476



9.3.3.3	Stress Softening in Carbon Nanotube Elastomers . . . . .	477
9.3.4	Tensile Strength and Elongation at Break . . . . .	478
9.3.4.1	Tear Strength and Elongation at Break for Unfilled Elastomers . . . . .	478
9.3.4.2	Tensile Strength and Elongation at Break for Filled Elastomers . . . . .	479
9.4	Stress Relaxation and Creep . . . . .	489
9.4.1	Service-Life Prediction from Stress Relaxation Experiments . . . . .	491
9.5	Barrier Properties . . . . .	492
<b>10</b>	<b>Dynamic-Mechanical Properties . . . . .</b>	<b>501</b>
10.1	Viscoelasticity of Elastomers . . . . .	502
10.2	Rebound Resilience. . . . .	508
10.2.1	Rebound Resilience in Unfilled Elastomers . . . . .	509
10.2.2	Rebound Resilience in Filled Elastomers . . . . .	510
10.2.2.1	Effect of Carbon Black. . . . .	511
10.2.2.2	Effect of Precipitated Silica . . . . .	512
10.2.2.3	Effect of Layered Silicates . . . . .	513
10.2.3	Effect of Carbon Nanotubes . . . . .	514
10.3	Temperature Dependence of $G'(T)$ and $G''(T)$ . . . . .	514
10.3.1	Temperature Dependence of $G'(T)$ and $G''(T)$ in Unfilled Elastomers . . . . .	515
10.3.2	Temperature Dependence of $G'(T)$ and $G''(T)$ in Filled Elastomers . . . . .	518
10.3.2.1	Effect of Carbon Blacks. . . . .	519
10.3.2.2	Effect of Precipitated Silicas . . . . .	524
10.3.2.3	Effect of Layered Silicates . . . . .	526
10.3.2.4	Effect of Carbon Nanotubes. . . . .	528
10.4	Strain-Amplitude Dependence of $G'(\gamma)$ and $G''(\gamma)$ . . . . .	529
10.4.1	Effect of Carbon Black . . . . .	531
10.4.1.1	Influence of the Specific Surface Area . . . . .	534
10.4.1.2	Influence of Carbon Black Structure. . . . .	536
10.4.1.3	Influence of Carbon Black Activity . . . . .	536
10.4.1.4	Influence of Temperature . . . . .	539
10.4.1.5	Influence of Carbon Black Dispersion . . . . .	540
10.4.1.6	G-Plot. . . . .	541

10.4.1.7	Models of the Strain-amplitude Dependence of $G'(\gamma)$ and $G''(\gamma)$ . . . . .	542
10.4.2	Effect of Precipitated Silicas . . . . .	546
10.4.2.1	Advantage of Silanized Silica . . . . .	550
10.4.3	Effect of Layered Silicates . . . . .	553
10.4.4	Effect of Carbon Nanotubes . . . . .	554
10.5	Frequency Dependence of $G'(\omega)$ and $G''(\omega)$ . . . . .	556
10.5.1	Time-Temperature Superposition . . . . .	557
10.5.2	Frequency Dependence of $G'(\omega)$ and $G''(\omega)$ in Unfilled Elastomers . . . . .	558
10.5.3	Frequency Dependence of $G'(\omega)$ and $G''(\omega)$ in Filled Elastomers . . . . .	560
<b>11</b>	<b>Fatigue and Fracture of Elastomers . . . . .</b>	<b>569</b>
11.1	Material Flaws . . . . .	570
11.2	Mechanical Fatigue . . . . .	573
11.2.1	Fatigue Testing . . . . .	573
11.2.2	Fatigue of Elastomers . . . . .	577
11.2.3	Heat Build-Up . . . . .	580
11.2.4	Woehler Curves . . . . .	582
11.2.5	Tear Strength . . . . .	585
11.2.5.1	Tear Strength of Unfilled Vulcanizates . . . . .	587
11.2.5.2	Tear Strength of Filled Vulcanizates . . . . .	589
11.3	Tearing Energy . . . . .	591
11.3.1	Processes for Testing Tearing Energy . . . . .	593
11.3.2	Tearing Energy of Filled Elastomers . . . . .	595
11.4	Dynamic Crack Growth . . . . .	598
11.4.1	Crack Growth in Unfilled Elastomers . . . . .	600
11.4.2	Tearing Energy of Unfilled Elastomers . . . . .	604
11.4.3	Crack Growth in Filled Elastomers . . . . .	607
11.4.4	Service Life Prediction: Integrated Power-Law Model . . . . .	608
11.4.4.1	Service Life of Unfilled Vulcanizates . . . . .	610
11.4.4.2	Service Life of Filled Vulcanizates . . . . .	611
11.5	Abrasion and Wear . . . . .	615
11.5.1	Abrasion of Unfilled Vulcanizates . . . . .	617

11.5.2 Abrasion of Filled Elastomers .....	619
11.5.2.1 Abrasion of Carbon Black in Filled Vulcanizates.....	619
11.5.3 Influence of Precipitated Silicas .....	626
11.5.3.1 Influence of Layered Silicates and Carbon Nanotubes....	628
11.5.4 Mechanisms of Abrasion .....	629
11.5.5 Tread Wear .....	633
<b>Index .....</b>	<b>641</b>